



## *Welcome to NWI Innovative Products, LLC*

### Corporate Contact:

Toll Free: 866-772-0446  
Phone: 712-225-6105  
Fax: 712-225-6247  
Address: 1500 S 2<sup>nd</sup> St, PO Box 703, Cherokee, Iowa 51012  
Email: info@innovativesunrooms.com

Enclosed is the Dealer Application for doing business with NWI Innovative Products, LLC. The following forms must be completed, signed and in our corporate office prior to first delivery.

- 1) All Customers-Dealers Application
- 2) C.O.D. – Dealer & Check Applications

If application paperwork is not in-house, orders sent “C.O.D.” by “cashier’s check”.  
Please send completed forms to:

**NWI Innovative Products, LLC**  
**Corporate Office**  
**1500 S 2<sup>nd</sup> St**  
**PO Box 703**  
**Cherokee, IA 51012**  
**PLEASE FAX APPLICATION TO 712\*225\*6247**



## ***NWI Innovative Products, LLC General Information - Dealer Programs***

### **Dealer Options:**

#### **Showroom/ Trailer Display**

##### **Option #1**

Total Display Price ÷ 333.33 = \_\_\_\_\_ number of rooms\* (including display) to sell in a 1 year period from the date the product display was received by dealer.

NWI Innovative Products will issue a credit to dealer for the total cost of the product display if dealer sells the specified number of rooms within the 1-year period.

\* A room is any job that is at least 50% of the display cost.

##### **Option #2**

Total Display Price = Total Retail Price x .30 multiplier

Note: All Dealer Product Displays must be pre approved by NWI management and will require a before and after picture.

#### **\$500 Showroom Dealer:**

Includes 2 Home Show wall displays, 300 brochures, samples (patio room, wall sample, window sample, roof cut, screen room cut, insulated deck cut, color samples and more).

#### **\$500 Sample Dealer:**

\$500 credit will be issued back (\$250 on first order, \$250 on second order). Samples include; patio room wall sample, window sample, roof cut, screen room cut, insulated deck cut, 150 brochures, color samples and more.

**Non-Sample Dealer:**

Send in your order.

**Ordering:** Please provide the following information when ordering:

Note: NWI Innovative Products, LLC will build the room one of two different ways. The Customer must note which way they want their room built.

**Option One:** Exact - This means we will build the room exactly to the plans supplied. All slope is cut into the wall sections, all top, bottom, and starter tracks will be cut exact with angles cut. This method will take more time at job measurement (expedite) and will save the dealer up to 30% on build time.

**Option Two:** Plus 6"- This means that the room will be built to the plans adding 6" to all top and bottom tracks and corner post(s) will be the length of the tallest wall. Wall sections will be built square (no slope cut in) and there will be 6" extra fill added to the starter strips. This method is for dealers that are loosely measuring jobs and want their build crew to cut everything to fit onsite.

- 1) Completed product order form
- 2) Fax or email to 712-225-6247 or bperrin@ncn.net
- 3) Submit a 25% deposit

We will take your order, create the material list, layout, and drawings (if applicable) and get them back to you via e-mail, fax or mail for your confirmation.

To place a job into production the Pricing sheet and Drawings must be signed and faxed to 712-225-6247. NWI Innovative Products, LLC will not accept any verbal orders.

## **Order Delivery Time**

Full truckloads where shipment is direct from NWI's manufacturing facility to the customer's facility may ship within 14 working days, 7-10 working days in off peak season and 14 working days during peak season. Combining less than full truckloads with other customer's orders will entail more than one stop, and may ship within 21 working days from the date we received your approved order confirmation. Items that need to be ordered, which are not considered standard material (i.e. special glass, custom windows, special lamination color combinations), will require additional delivery time.

## Freight Policy

### Swing Truck

Orders of \$6,000 or more will be shipped freight free. Orders of less than \$6,000 will be charged freight of \$250. This is applicable for all deliveries within the swing truck's territory. Please check if the NWI Innovative Products swing truck serves your area.

### Common Carrier

Orders must be paid before leaving the dock. Product will ship at the carrier's insured rate plus an additional packaging fee.

For your guidance, we have summarized below the terms of sale utilized by the company and their effect on both the buyer and seller in each instance.

Terms of sales F.O.B. Point of Origin, Freight Collected

1. Buyer Bears freight charges
2. Buyer Pays freight charges
3. Buyer Owns goods in transit
4. Buyer Files claims (if any)
5. F.O.B. (Free on Board)\*\*

\*\*This means that goods will be loaded at no charge at the factory. Once on board the carrier, product becomes the responsibility of the BUYER if not shipped by our fleet of trucks.

When delivery is out of swing truck territory, NWI Innovative Products, LLC will contract a carrier. Some trailers are fifty-three foot dry vans; please keep that in mind when choosing your delivery location.

1. Day of Loading: NWI Innovative Products, LLC confirms completion of loading with the freight shipping company.
2. Setting up delivery appointments: The freight company will call and schedule an exact delivery time.
3. Appointment times are subject to change due to road and weather conditions. Every effort is made to notify you of changes.

## Receiving Procedures

An agreement between NWI Innovative Products, LLC, and our freight carriers has been established whereby the drivers do no unload. **Each dealer needs to supply**

**Personnel for the unloading and designate someone to check that you have received everything on the Bill of Lading.**

1. Colored stickers: Multiple stop loads are separate on the trailer and each piece is marked. This will greatly assist you in identifying the pieces you need to remove from the trailer.
2. All trash and crates removed from the delivery trailer.
3. Tools for unloading: CROW BAR or PRY BAR, the sunroom pieces are cubed, banded, braced, packaged, stapled and nailed to the inside of the trailers. The trailers are loaded this way to prevent damage.

**Procedure for checking shipments (Dealer Responsibility)**

**Errors are costly and your attention to shipments can save both time and money. When a shipment arrives, follow these procedures:**

1. Make sure you have unloaded your entire product; use your Bill of Lading as a guide and the colored stickers. The driver will also check, but to ensure accuracy, designate someone from your company to recheck the trailer.
2. Remove all of the packaging materials used to brace and support your sunroom pieces.
3. If you find a discrepancy at the time of delivery, do not refuse delivery.
4. Follow these procedures: Indicate on Bill of Lading

Find corresponding packing slip (Bill of Material)

Copy, circle materials in question and include description of the problem.

Fax copy of Bill of Lading and Bill of Material to Shipping at: 712.225.6247

Note the following information (found on the Bill of Material)

1. Job Name
2. File Name
3. Color
4. Size
5. Quantity
6. Detail description of discrepancy

**\*\* Note: This information is required to expedite a resolution.**

5. Promptly notify NWI Innovative Products, LLC and the freight company's driver of any damaged items.

6. Although it is not required, we recommended, that you keep a digital camera in your receiving area to photograph of any damaged goods.

### **Freight claims (Common Carrier)**

The Interstate Commerce Code (ICC) requires that on all FOB shipments, the receiver **MUST** make any freight claims for lost or damaged goods. The company will not file this claim for any dealers. Also, realize that under the Freight Policy outlined earlier, the product becomes the property of the dealer once it is loaded upon the carrier's vehicle at the NWI manufacturing facility. Therefore, do **NOT** refuse the shipment of damaged goods.

1. On damage that is visible, complete the freight bill as suggested above and clearly mark: **DAMAGED**.
2. Telephone the claims department of the trucking firm. Request that they dispatch an inspector to examine the damaged item(s).
3. Fill out a damaged goods claim, provided by the trucking firm.
4. Handle hidden damage the same as above.
5. Lost goods should be handled in the same manner except that the freight bill should be marked "MISSING" and the number of pieces should be specified.

Schedule orders received at our manufacturing warehouse in Cherokee, IA, between 8:00 AM and 4:00 PM Monday - Friday. Self pick-ups must call in advance for a pick-up order confirmation.

### **Terms of Sale**

All sales are C.O.D. Dishonored checks will result in the loss of all discounts on invoices paid by the dishonored check. Non-payment can result in loss of other discounts and an involuntary C.O.D. status. Any account not paid within the terms will be considered delinquent, delays in future shipments, and assessment of finance charges of 18% APR. We ask that you call our credit department if you have any problems.

If applicable paperwork is not in-house, orders will be C.O.D. cash or cashier's check. Please send completed forms.

### **Delinquent Accounts**

If a dealer's account is delinquent, the company reserves the right to hold the dealer's order from production until the account is current.

Delinquent accounts over 30 days may be charged a service charge of 18% APR.

Delinquent accounts are not eligible for any available discounts.

Returned checks will be assessed a \$35.00 service fee.

## Production Policies and Procedures

### Glossary of terms

**Confirmed Order** - Drawing with a file name and approved or confirmed on date.

**Open Order** - Confirmed order not scheduled for manufacturing and shipping.

**Production Notification** - Confirmed orders that have an established production and ship date.

**Pick up order confirmation** - List of materials staged in the warehouse for pick up.

### Shipping and Production Procedures

1. Orders are aged to stay within the 14 days shipping lead-time policy. Please allow 21 days lead-time on custom orders, from approved date.
2. All confirmed orders remain open until scheduled for manufacturing and shipping.
3. All orders confirmed at time of schedule will be included unless otherwise requested. Orders confirmed after schedule is established will be on next schedule.
4. When production and shipping schedule is established, you will receive a production notification. Please review this information and respond within 24 hours if necessary.
5. NWI Innovative Products LLC requires a 4-day manufacturing cycle for maximum daily production. Requests for additions or changes after production schedule is complete is scheduled for next shipment but may be reviewed for urgency.
6. To ensure accuracy, any changes will cause the Bill of Materials to be void and a new order generated. The new order will have a new approved date assigned, and a new 14-day lead-time.

## 10,000 Series Room Packages-3" thermally broken, with Vinyl Windows

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

### Wall Sections (3" full thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8', 9', and 10'

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22").

Wall panel/fill is 3" expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order).

Glass kick panels available for under windows. The minimum glass size is 11" (vinyl frame)

Glass transoms & traps available above windows. The minimum transom height size is 11" (vinyl frame)

Wall sections available in White and Almond.

### Extrusions

Available in White and Almond electro-static baked on enamel

Extruded from 6063-T5 aluminum alloy.

3" extrusions have a commercial thermal break

Electric trim raceway and caps in walls, available in White and Almond

### Windows: Amerimax Vinyl Dual Slide Insulated Glass

Glass Options: Low E squared 270  
Low E cubed 366  
Tempered Glass  
Argon gas filled (Krypton available with additional upcharge)

Specifications: Maximum Height 60" \*  
Maximum Width 54" \*  
Full Fiber Screens (half screen available upon request)  
3 1/4" Frame, Sloped sill with integral Interlock, Full width meeting rail interlock  
White color or additional up charge for Almond

### Amerimax Vinyl Single Slide Insulated Glass

Glass Options: Low E squared 270  
Low E cubed 366  
Tempered Glass  
Argon gas filled (Krypton available with additional upcharge)

Specifications: Maximum Height 60" \*  
Maximum Width 54" \*  
Half Fiber Screens  
2 7/8" Frame, Sloped sill with integral Interlock, Full width meeting rail interlock  
White color or additional up charge for Almond

**PLEASE NOTE:** The above height and width parameters are set to assure the best quality of products for customers. Please understand going outside the set guidelines lessens the quality of the window and will be sold "as is" and cannot be warranted.



## 10,000 Series Room Packages- (continued)

### Door Options

#### Amerimax 5' or 6' Vinyl Sliding Glass Door

Glass Options: Low E squared 270  
Low E cubed 366  
Argon gas filled (Krypton available with additional upcharge)

Specifications: Tempered Insulated Glass  
Heavy duty plated steel tandem rollers  
Raised stainless steel monorail track system  
Fusion welded frame and sash  
White color or additional up charge for Almond  
Triple seal positive interlocking at the meeting rail  
Structural metal reinforcement within vertical sash rails  
1350 Fiber Screen or additional charge for 1580 TOP Hung Screen  
Standard Hardware – White or Des Sand

#### Full view 24 gauge Steel entry door in full wood frame by Provia

Options: Low E squared 270 or LowE366  
In-swing or Out-swing

Specifications: 3 1/8" jamb  
Tempered  
Heavy-duty ball bearing hinges (Spring Bommer Hinges available with upcharge)  
Georgian Knob Lockset – Antique Brass (Accent or Flair Lever with upcharge)

### Roof Package 4" or 6" Universal Lock Insulated Panels

Available in white, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum Bay Size - 54" wide x 144" tall for a 3" room using Amerimax Windows  
66" wide x 144" tall for a 3" room using windows supplied by dealer

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold "as is", and cannot be warranted.

## 3800 Series Room Packages-3” Partial- thermally broken with Vinyl Windows

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

### Wall Sections (3” Partial- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8’, 9’, and 10’

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22”).

Wall panel/fill is 3” expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Glass kick panels available for under windows. The minimum glass size is 11” (vinyl framed)

Glass transoms & traps available above windows. The minimum transom height is 11” (vinyl framed)

Wall sections available in White and Almond

### Extrusions

Available in White and Almond electro-static baked on enamel

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls, available in White and Almond

### Windows Amerimax Vinyl Single Slide Insulated Glass

Glass Options: Low E squared 270

Low E cubed 366

Tempered Glass

Argon gas filled (Krypton available with additional upcharge)

Specifications: Maximum Height 60” \*

Maximum Width 54” \*

Half Fiber Screens

2 7/8” Frame, Sloped sill with integral Interlock, Full width meeting rail interlock

White color or additional up charge for Almond

### Door Options

Amerimax 5’ or 6’ Vinyl Sliding Glass Door

Glass Options: Low E squared 270

Low E cubed 366

Argon gas filled (Krypton available with additional upcharge)

Specifications: Tempered Insulated Glass

Heavy duty plated steel tandem rollers

Raised stainless steel monorail track system

Fusion welded frame and sash

White color or additional up charge for Almond

Triple seal positive interlocking at the meeting rail

Structural metal reinforcement within vertical sash rails

1350 Fiber Screen or additional charge for 1580 TOP Hung Screen

Standard Hardware – White or Des Sand

### 3800 Series Room Packages-(continued)

Full view 24 gauge Steel entry door in full wood frame by Provia

- Options: Low E squared 270 or LowE366  
In-swing or Out-swing
- Specifications: 3 1/8" jamb  
Tempered  
Heavy-duty ball bearing hinges (Spring Bommer Hinges available with upcharge)  
Georgian Knob Lockset – Antique Brass (Accent or Flair Lever with upcharge)

Prime Door Full View – PGT CD90 (this swing door is not thermally broken)

- Options: White or Almond  
Hinge Left Out-Swing or Hinge Right Out-Swing (In Swing not recommended)  
Low – E
- Sizes: 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"
- Specifications: Tubular door frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one piece tubular extruded aluminum  
Pre-hung Door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt

### Roof Package 4" or 6" Universal Lock Insulated Panels

Available in white, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum Bay Size - 54" wide x 144" tall for a 3" room using Amerimax Windows  
66" wide x 144" tall for a 3" room using windows supplied by dealer

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold "as is", and cannot be warranted.

## **3500 Series Room Packages-3" Partial- thermally broken with Aluminum Windows**

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

### **Wall Sections (3" Partial- thermally broken)**

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8', 9', and 10'

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22").

Wall panel/fill is 3" expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Glass kick panels available for under windows. The minimum glass size is 11" (vinyl framed)

Glass transoms & traps available above windows. The minimum transom height is 11" (vinyl framed)

Wall sections available in White and Almond

### **Extrusions**

Available in White and Almond electro-static baked on enamel

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls, available in White and Almond

### **Windows**    PGT Aluminum Horizontal Roller Window (White or Bronze only)

#### Glass Options:

Single pane glass (1/8" glass or 3/16" glass)

Bronze tint

Tempered glass

#### Specifications:

Maximum Height 72" \*

Maximum Width 54" \*

Window members extruded from 6063-T5 aluminum alloy

Frame members have a depth of 2"

Sash members have a depth of 1"

Frame and sash interlock

Frame construction has telescopic corner joints for maximum strength

Glazing is exterior

Locking hardware is deluxe swivel type

Windows have double weather-stripping

## 3500 Series Room Packages-(continued)

### Door Options

#### 1 3/4" Cabana Door with Single pane glass

Options: White or Bronze  
In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"

Specifications: Z-bar frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one-piece tubular extruded aluminum  
Pre-hung door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt  
Standard kick plate height is 14 1/2"

### Roof Package 4" or 6" Universal Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum Bay Size - 54" wide x 144" tall for a 3" room using Amerimax Windows

66" wide x 144" tall for a 3" room using windows supplied by dealer

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold "as is", and cannot be warranted.

### 3,400 Series Room Packages-3" Vertical Four-Track Room

The most cost effective way to enclose an existing cover or convert a screen room to an enclosure is with the seasonal room package. Vertical 4 Track Vinyl Pane windows are custom made to fit your existing openings. Windows feature sturdy aluminum frames.

#### Wall Sections (3" Non- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8', 9', and 10'

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22").

Wall panel/fill is 3" expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Vinyl glazed kick panels available under windows.

Vinyl glazed transoms & traps available above windows.

Wall sections available in White and Almond

#### Extrusions

Available in White and Almond electro-static baked on enamel

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls, available in White and Almond

#### Windows – Vertical 4 Track panels

Standard sizes are 3', 3.5' and 4' wide x 6' tall

Custom sizes available

White, Beige, Pebble Khaki & Bronze Aluminum Frame

10-mil vinyl: Clear, Smoke Gray, Bronze & Dark Gray tint

70% ventilation

#### Door Options

1 3/4" Cabana Door with Vinyl glazed vertical four track insert

Options: White, Almond, Pebble Khaki or Bronze  
In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"

Specifications: Z-bar frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one-piece tubular extruded aluminum  
Pre-hung door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt  
Standard kick plate height is 14 1/2"



### **3,400 Series Room Packages-(continued)**

#### **Roof Package** 4" or 6" Universal Snap & Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum 4-track window sizes 54" wide x 96" tall (recommended)

Maximum Bay Size - 54" wide x 120" tall for a 3" room

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold "as is", and cannot be warranted.

## 2800 Series – 2” Glass Room (insulated glass)

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

### Wall Sections (2” Non- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8’, 9’, and 10’

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22”).

Wall panel/fill is 2” expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Wall sections are custom manufactured to fit your room dimensions.

Glass kick panels available for under windows.

Glass transoms & traps available for above windows.

Wall sections available in White, Almond, Pebble Khaki and Bronze (spec order)

### Extrusions

Available in White, Almond, and Pebble Khaki electro-static baked on enamel and Bronze

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls (special size receptacles), available in White and Almond

### Window Options

#### PGT Aluminum Horizontal Roller Window (White or Bronze only)

Options: Insulating glass (1/8” glass, 1/4” air, 1/8” glass, 1/2” overall thickness)  
 Low E squared  
 Tempered glass

Specifications: Maximum Height 72” \*  
 Maximum Width 54” \*  
 Window members extruded from 6063-T5 aluminum alloy  
 Frame members have a depth of 2”  
 Sash members have a depth of 1”  
 Frame and sash interlock  
 Frame construction has telescopic corner joints for maximum strength  
 Glazing is exterior  
 Locking hardware is deluxe swivel type  
 Windows have double weather-stripping



## 2800 Series – 2” Glass Room-(continued)

### Door Options

#### 1 3/4” Cabana Door with Insulated glass

Options: White or Bronze  
In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"

Specifications:  
Z-bar frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one piece tubular extruded aluminum  
Pre-hung door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt  
Standard kick plate height is 14 1/2"

### Roof Package 4” or 6” Universal Snap & Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a clear protective coat, modified with a wax lubricant that is fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum Bay Size - 54” wide x 120” tall for a 2” room

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold “as is”, and cannot be warranted

Pricing and Options are subject to change without notification.

## 2500 Series – 2” Glass Room (single pane)

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

## Wall Sections (2” Non- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8’, 9’, and 10’

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22”).

Wall panel/fill is 2” expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Wall sections are custom manufactured to fit your room dimensions.

Glass kick panels available for under windows.

Glass transoms & traps available for above windows.

Wall sections available in White, Almond, Pebble Khaki and Bronze

## Extrusions

Available in White, Almond, and Pebble Khaki electro-static baked on enamel and Bronze

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls (special size receptacles), available in White and Almond

## Windows PGT Aluminum Horizontal Roller Window (White or Bronze only)

Options:

Single pane glass (1/8” glass or 3/16” glass)

Bronze tint

Tempered glass

Specifications:

Maximum Height 72” \*

Maximum Width 54” \*

Window members extruded from 6063-T5 aluminum alloy

Frame members have a depth of 2”

Sash members have a depth of 1”

Frame and sash interlock

Frame construction has telescopic corner joints for maximum strength

Glazing is exterior

Locking hardware is deluxe swivel type

Windows have double weather-stripping

Pricing and Options are subject to change without notification.

## 2500 Series – 2” Glass Room-(continued)

### Door Options

#### 1 3/4” Cabana Door with Single pane glass

Options: White or Bronze  
In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2’6” x 6’8”  
2’8” x 6’8”  
3’0” x 6’8”

Specifications:  
Z-bar frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one-piece tubular extruded aluminum  
Pre-hung door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt  
Standard kick plate height is 14 1/2”

### Roof Package 4” or 6” Universal Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4’ and 2’ widths to eliminate waste. Roof panels available with fan beam. (Centered in 4’ panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum Bay Size - 54” wide x 120” tall for a 2” room

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold “as is”, and cannot be warranted

Pricing and Options are subject to change without notification.

## 2400 Series – 2” Vertical Four-Track Room

NWI Innovative Products, LLC fabricates individual room components into modular sections dramatically reducing installation time for patio rooms, porch enclosures, and patio covers. Total Room Packages are pre-numbered modular sections built to your exact specifications, saving you time on the job and the amount of trash on the job, thus saving you money.

The most cost effective way to enclose an existing cover or convert a screen room to an enclosure is with the vinyl four-track system. Vertical four-track vinyl pane windows can be custom made to fit your existing openings. Windows feature sturdy aluminum frames

### Wall Sections (2” Non- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8’, 9’, and 10’

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22”).

Wall panel/fill is 2” expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Wall sections are custom manufactured to fit your room dimensions.

Vinyl kick panels available for under windows.

Vinyl transoms & traps available for above windows.

Wall sections available in White, Almond, Pebble Khaki and Bronze (spec order)

### Extrusions

Available in White, Almond, and Pebble Khaki electro-static baked on enamel and Bronze

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls (special size receptacles), available in White and Almond

### Windows – Vertical 4 Track panels

Standard sizes are 3’, 3.5’ and 4’ wide x 6’ tall

Custom sizes available

White, Beige, Pebble Khaki & Bronze Aluminum Frame

10-mil vinyl: Clear, Smoke Gray, Bronze & Dark Gray tint

70% ventilation

### Door Options

1 ¾” Cabana Door with Vinyl glazed vertical four track insert

Options: White, Almond, Pebble Khaki or Bronze

In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2’6” x 6’8”  
2’8” x 6’8”  
3’0” x 6’8”

Pricing and Options are subject to change without notification.



## 2400 Series – (continued)

### Specifications:

- Z-bar frame is extruded from alloy 6063-T5 aluminum
- Rim stiles, head and sill consists of one piece tubular extruded aluminum
- Pre-hung door with three hinges
- All doors come prepared for handle and deadbolt
- Doorframe is weather-stripped
- Saddle threshold is used
- Doors do not come with lockset and deadbolt
- Standard kick plate height is 14 1/2"

### Roof Package 4" or 6" Universal Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum 4-track window sizes 54" wide x 96" tall (recommended)

Maximum Bay Size 54" wide x 120" tall for a 2" room

**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold "as is", and cannot be warranted

Pricing and Options are subject to change without notification.

## 2,000 Series Room Packages

The screen room transforms your deck or patio into an oasis of shade, and protection from insects.

### Wall Sections (2" Non- thermally broken)

Wall sections are custom manufactured to fit your room dimensions.

Standard wall heights are 8', 9', and 10'

Wall panel/fill dimension – variable above and below the window, (standard Base wall height is 22").

Wall panel/fill is 2" expanded polystyrene core with .040 UV protected Vinyl or .024 aluminum laminate (special order)

Wall sections are custom manufactured to fit your room dimensions.

Wall sections available in White, Almond, Pebble Khaki and Bronze(spec order)

### Extrusions

Available in White, Almond, and Pebble Khaki electro-static baked on enamel and Bronze

Extruded from 6063-T5 aluminum alloy.

Electric trim raceway and caps in walls (special size receptacles), available in White and Almond

### Door

1 3/4" Cabana Door with Screen insert

Options: White, Almond, Pebble Khaki or Bronze  
In swing or Out swing (In swing door is not recommended as it is prone to leaking)

Sizes: 2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"

Specifications: Z-bar frame is extruded from alloy 6063-T5 aluminum  
Rim stiles, head and sill consists of one piece tubular extruded aluminum  
Pre-hung door with three hinges  
All doors come prepared for handle and deadbolt  
Doorframe is weather-stripped  
Saddle threshold is used  
Doors do not come with lockset and deadbolt  
Standard kick plate height is 14 1/2"

### Roof Package 4" or 6" Universal Snap & Lock Insulated Panels

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

**Hardware:** Tec screws, Roof bolts, Polyurethane sealant

Maximum screen bay sizes 54" wide x 72" tall

Pricing and Options are subject to change without notification.



**PLEASE NOTE:** The above parameters are set, to assure the best quality of products for our customers. Please understand, going outside the set guidelines lessens the quality, and will be sold “as is”, and cannot be warranted.

## **Patio Covers**

A shade cover guaranteed never to warp, crack, burn, become infested with bugs and best of all never needs painting.

## **Panels**

Available in White, cedar embossed .024 aluminum skin only. The unique dual layer paint finish has a Clear protective coat, modified with a wax lubricant fused to the base coat during the bake cycle. The Insulated roof panels are available in 4' and 2' widths to eliminate waste. Roof panels available with fan beam. (Centered in 4' panels only)

## **Extrusions**

Hanging rail thermally broken (ease of converting to a future room)  
Receiver gutter  
Valance

## **Self-Mating Beams**

2"x 5" carry beam  
2"x 7" self mating beam  
2"x 9" self mating beam  
Available in White or special order Almond and Bronze

## **Post**

3"x 3" Fluted or 3"x3"-.093" smooth

## **Accessories**

Tec screws  
Roof bolts  
Polyurethane sealant  
Mounting base plate

Pricing and Options are subject to change without notification.



**DEALER APPLICATION  
MUST BE COMPLETED AND PLEASE PRINT**

Name of Firm \_\_\_\_\_ Legal Name \_\_\_\_\_  
 Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 County \_\_\_\_\_ Parish \_\_\_\_\_ Phone \_\_\_\_\_  
 Fax \_\_\_\_\_ Cell \_\_\_\_\_ Tax % \_\_\_\_\_  
 Occupational License # \_\_\_\_\_ Tax Exempt ID # \_\_\_\_\_  
 Email address: \_\_\_\_\_

**LEGAL ENTITY**

	<b>Corporation</b>	<b>Proprietorship</b>	<b>Partnership</b>	<b>Division/Subsidiary/Affiliate</b>
<b>PRINCIPALS</b>	Name _____	Name _____	Name _____	Title _____
<b>OR</b>	Name _____	Name _____	Name _____	Title _____
<b>OFFICERS</b>	Name _____	Name _____	Name _____	Title _____
	Name _____	Name _____	Name _____	Title _____

Type of Business \_\_\_\_\_ Years in business \_\_\_\_\_

Have you ever been involved in bankruptcy? \_\_\_\_\_ If yes, explain \_\_\_\_\_  
 \_\_\_\_\_

**BILLING INFORMATION  
(if different from above)**

Bill to \_\_\_\_\_ Department \_\_\_\_\_  
 Name of Firm \_\_\_\_\_  
 Billing Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_ Phone \_\_\_\_\_  
 Billing requirements \_\_\_\_\_

**SHIPPING/DELIVERY INFORMATION  
(if different from above)**

Name of Firm \_\_\_\_\_  
 Shipping/Delivery Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_ Phone \_\_\_\_\_  
 Delivery Instructions \_\_\_\_\_  
 \_\_\_\_\_

By (Authorized Signature) \_\_\_\_\_  
 Title \_\_\_\_\_ Date \_\_\_\_\_

**All accounts are C.O.D. (25% deposit, Balance upon delivery on NWI truck, Balance upon shipping with common carrier).**

Pricing and Options are subject to change without notification.



## GUARANTY

Gentlemen:

This will confirm the Agreement between us.

1. **Obligations.** In consideration of your extension of credit as and when you may deem proper to \_\_\_\_\_

(here in after referred to as "Purchaser"), which term is intended to include the successors and assigns of Purchaser, the extension of any time of payment of any existing obligation or indebtedness of Purchaser to you, and as an inducement to you to grant credit, or assume a credit risk, from time to time, in respect of sales of goods made by you the Purchaser, or in respect of any type of transaction by which you may become the creditor of Purchaser, the Undersigned shall pay you promptly when due, or upon demand thereafter, with interest, and without deduction for any claim of set-off or counterclaim of Purchaser, for loss of contribution from co-guarantor, or any other defense, the full amount of all obligations or indebtedness due to you from Purchaser, incurred after this date, together with all expenses of collection and reasonable attorney's fees incurred by you by reason of the default of Purchaser.

2. **Term of Guaranty.** This is an absolute and continuing guaranty, intended to cover any number of transactions. This guaranty shall be revocable only as to transactions entered into by you subsequent to the receipt by one of your officers of notice of termination sent by the Undersigned by registered or certified mail.

3. **Consent and Waiver.** The Undersigned waives notice of acceptance hereof, and notice of orders, sales, rentals and deliveries to Purchaser, and of the amounts and items thereof, and of all defaults and disputes with Purchaser, and of the settlement or adjustment of any of such defaults or disputes. The Undersigned, without affecting the Undersigned's liability hereunder in any respect, consents to and waives notice of all changes of terms, the withdrawal or extension of credit or time to pay, the release of the whole or any part of the indebtedness, the settlement or compromise of differences, the acceptance or release of security, the acceptance of notes, trade acceptances, or any other form of obligation for Purchaser's indebtedness, and the demand, protest, and notice of protest of such instruments or their endorsements. The Undersigned also consents to and waives notice of any arrangements or settlements made in or out of Court in the event of receivership, liquidation, readjustment, or bankruptcy, reorganization, arrangement or assignment for the benefit of creditors of Purchaser, and anything whatsoever, whether or not herein specified, which may be done or waived by or between you and Purchase, or Purchaser and any other persons whose claims against Purchaser have been or shall be assigned or transferred to you.

4. **Character of Obligations.** The obligation of the Undersigned is a primary and unconditional obligation, and covers all future indebtedness of Purchaser to you. This obligation shall be enforceable before or after proceeding against Purchaser or against any security held by you, and shall be effective regardless of solvency or insolvency of Purchaser at any time, the extension or modification of the indebtedness of Purchaser by operation of law, agreement, or otherwise or the subsequent incorporation, reorganization, merger, or consolidation of Purchaser, or any other change in composition, nature, personnel, or location of Purchaser.

5. **Liability.** All liability of the Undersigned is a primary and unconditional obligation, and covers all future indebtedness of Purchaser to meet its obligations as they become due, the appointment of a receiver, custodian, or trustee for relief in bankruptcy, reorganization, or arrangement, the making of an assignment for the benefit of creditors, or the calling of a meeting of creditors by Purchaser, or if any of the forgoing events shall occur with respect to the Undersigned.

6. **Construction.** Nothing herein contained shall be construed as an obligation on your part to rent or sell goods or extend credit to Purchaser, or as an obligation to continue to sell goods or extend credit. The records showing the account between you and Purchaser shall be admissible in evidence in any action or proceeding involving this guaranty, and such records shall be prima facie proof of the items therein set forth. This guaranty shall for all purposes be deemed to be made in, and shall be governed by the laws of, the State of Iowa.

7. **Benefit.** This guaranty shall be binding upon the Undersigned, the Undersigned's legal representatives, and assigns, and shall inure to your benefit and to the benefit of your successors and assigns.

Applicant promises to pay The Corporation all sums of money when due and applicant promises to pay the sum of one and one-half percent (1-1/2%) per month, eighteen percent (18%) per annum for all invoices sixty days delinquent. Further, if applicant fails to make any payment when due, applicant agrees to pay all costs of collection, including any reasonable attorney fees assisting The Corporation in the collection of the within indebtedness. Venue for any such legal action shall be in the Cherokee County, Iowa where all payments are due. All transactions and/or agreements between the parties shall be governed by the laws of the State of Iowa.

IN WITNESS WHEREOF, the Undersigned has executed this Agreement this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_.

WITNESS:

\_\_\_\_\_

Pricing and Options are subject to change without notification.

### ***Why Partner With Us?***

**Here are just a few things you should know about NWI Innovative Products, LLC**

- ❖ We specialize in assembling patio rooms, screen rooms, and patio covers.
- ❖ Our Cherokee, Iowa facility incorporates the latest technology, equipment, and efficiency in manufacturing.
- ❖ The Product is delivered to our dealers in our own fleet of trucks insuring that your rooms can be ordered and delivered in a timely and damage free manner.
- ❖ The Product is pre-assembled cutting your labor cost, because patio rooms can be installed in one or two days.

**We give you the support you need to build a profitable business.**

- ❖ A quality patio room at a low cost
- ❖ Custom size at no extra cost
- ❖ Engineering for the rooms
- ❖ Drawings to be approved before assembling
- ❖ Job estimating software
- ❖ Lead forwarding from regional advertising

**We offer the tools to generate leads.**

- ❖ Professionally designed promotional materials
- ❖ Pictures from our photo gallery
- ❖ Show display backdrops

**We have the tools to close the sales.**

- ❖ Comprehensive in home sales demo kits
- ❖ Pricing software to automatically generate accurate, professional quotes
- ❖ Pitch book photos from our photo gallery

**Our dealer support is ongoing.**

Pricing and Options are subject to change without notification.